
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLE SALE PRICE LIST

OCTOBER 1, 1945




I.E.

0,2,4

ILGENFRITZ'

SONS CO.

The Monroe Mursery MONROE, MICHIGAN.



ORNAMENTAL SHRUBS

			30 to 249	250 & Up
ACANTHOPANAX—Aralia	Each	Each	Each	Each
pentaphyllum 8' June				
Bright green leaves, arching branches, prickly	у.			
Good in poor soils.				
18-24"		.25		
2-3'		.30		
3-4' 4-5'		40		
	.00			
ALMOND				
Prunus glandulosa 6' May				
Very double, rose like flowers cover the branches before the leaves are out.				
Double pink				
18-24"	45	.35		
2-3'	-	.45		
Double white				
18-24"	.45	.35		
2-3'	.55	.45		
ALTHEA				
Hibiscus syriacus 12' August-September				
Large shrub for specimen or group planting.				
Blooms when few other shrubs are showing				
flower.				
Anemonaeflorus, double pink Ardens, double violet				
Boule de feu, double red				
Joan d'Arc, double white				
Shrubform				
2-3'		.28	.25	
3-4'	.50	.40	.35	
Treeform	75	CE	CO	
4-5'	./5	.65	.60	
ARALIA pentaphyllum				
See Acanthopanax				
ADONIA Chalabarra				
ARONIA—Chokeberry				
brilliantissima 8' April-May Large, brilliant, red berries.				
18-24"	.30	.25	.20	
2-3'	.40	.30	.28	
3-4'	.50	.40	.35	
BERBERIS—Barberry				
koreana—KOREAN BARBERRY 6'				
Upright growing Barberry with suspended				
berries. Yellow, orange and red fall color.				
15-18"		.25	.20	
18-24"	.40	.30	.28	

SHRUDS		12 1101		
	to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
BERBERIS—Barberry				
mentorensis—MENTOR BARBERRY 5'				
Plant Patent No. 99				
Deep green foliage, turning coppery bronze				
in late Fall. Half evergreen in this climate.	0.5	20		
15-18''		.30 .38		
	.40	.00		
Suggested Retail Prices 3 12				
15-18"1.35 5.00				
18-24''1.75 6.00			•	
thunbergi-JAPANESE BARBERRY 5'				
Much used for hedges because of bushy				
growth and protecting thorns. Brilliant fall				
color, red berries. Excellent for shady				
locations. 15-18''	25	.22	.20	.18
18-24''		.30	.25	.22
2-21/2'		.40	.20	.22
thunbergi αtropurpureα—REDLEAF BARBE				
15-18"		.30	.28	
18-24''		.40	.35	
BUDDLEIA—Butterflybush				
CHARMING BUTTERFLYBUSH				
New pink variety, blooming all summer,				
large spikes.	4.5	0.5	0.0	
No. 1	.45	.35	.30	
ILE DE FRANCE 5'				
Dark claret-purple flowers, medium high, continuous bloomer.				
No. 1	.45	.35	.30	
CALYCANTHUS—Sweetshrub				
floridus—CAROLINA ALLSPICE 5' June-J	ulv			
Fragrant, chocolate colored flowers, glossy	ar ₁			
leaves, thrives in shady locations.				
18-24"	.40	.35		
CARAGANA—Peatree				
arborescens—SIBERIAN PEATREE 12' Ma	v-lune			
Bright yellow pea-shaped flowers, strong	, ,			
grower.				
2-3'		.30	.25	
3-4'	.45	.35	.30	
CORNUS—Dogwood				
alba siberica—TARTARIAN DOGWOOD 1	0' Ap	oril-May		
Bright red branches, white flowers.				
2-3'		.30		
		.40		
paniculata—GRAY DOGWOOD 15' May White berries, leaves dark purple in fall.	-June	•		
2-3'	35	.28	.25	
3-4'		.40	.25	
	-			

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CORNUS—Dogwood				
stolonifera flaviramea—YELLOWTWIG DC	GWOOL	8' M	ay-June	
A yellow branched form of Stolonifera.				
18-24''		.30 .35	.25 .30	
CODVILIC II I THE				
CORYLUS—Hazel or Filbert americana—AMERICAN HAZELNUT 10' Thrives in shady locations, upright growth edible nuts.	.,			
3-4'	80	.55 .65 .95	.50 .60 .85	
0-0	. 1.20	.55	.00	
COTONEASTER acutifolia—PEKING COTONEASTER 12'	June			
Good hedge shrub, dark green leaves, black fruit, red and yellow fall foliage.				
2-3'	35	.28	.25	.22
3-4'	50	.40	.35	.32
4-5'	6ባ	.50	.45	.42
divaricata—SPREADING COTONEASTER Pink flowers, branches studded with red fruit in fall and winter. Arching branches.		•		
2-3'	60	.50	.40	.35
foveolata—10' May-June A fine massive shrub for screening. Heavy glossy leaves, black berries, orange and scarlet foliage in fall. 2-3' 3-4' 4-5'	60 80	.50 .65 .80	.40 .55 .70	
racemiflora soongarica—4' May				
Abundance of large red berries, grayish foliage.				
4-5'		.80	.70	
5-6'	. 1.50	1.20	1.00	
CYDONIA—(CHAENOMELES)				
japonica—JAPAN FLOWERING QUINCE Clusters of scarlet flowers. Much noticed in		h-April		
spring, large fragrant fruits.				
15-18"		.20 .28		
DEUTZIA				
gracilis—SLENDER DEUTZIA 3' May Graceful dwarf shrub. Snow-white flowers.				
15-18"	35	.30		
18-24"	40	.35		
scabra—PRIDE OF ROCHESTER 10' Mo Double white flowers, tinged pink.				
2-3'	35	.28	.25	
3-4'		.40	.35	

STIROBS				
	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ELAEAGNUS—Oleaster				
angustifolia—RUSSIAN OLIVE 20' June				•
Silvery foliage, yellowish white fragrant				
flowers. Large gray fruit.				
2-3'		.30	.28	
3-4'		.40	.35	
4-5'		.55	.50	
5-6'	80	.65		
EUONYMUS—Spindle-Tree				
alata—CORKBARK EUONYMUS 10' May	r-June			
Winged branches, small yellowish flowers,				
red fruits. Crimson fall foliage.				
2-3'		.55	.50	.40
3-4'	.1.00	.80	.70	.65
alata compacta 6' May-June				
Compact form of Euonymus alata.				
18-24"	70	.55	.50	.40
2-3'		.80	.70	.65
3-4'	.1.25	1.00	.90	
atropurpurea—BURNING BUSH 20' June				
Scarlet fruit in October.				
2-3'		.25		
3-4'		.30		
4-5'		.45		
5-6'	75	.60		
europaea—EUROPEAN BURNING BUSH l Large shrub or small tree. Yellow flowers; pink fruits hang on long after foliage has dropped.		e		
3-4'	50	.40	.35	
yedoensis —YEDDO EUONYMUS 15' Pink and orange fruit, bright fall coloring.				
2-3'		.35	.30	
3-4'	50	.40	.35	
4-5'	70	.55	.50	
FORSYTHIA—Goldenbell				
intermedia spectabilis—SHOWY BORDER F Profuse yellow flowers in early spring.	ORSYT	'HIA 8'	April	
3-4'	50	.40	.35	
4-5'		.50	.45	
DWARF FORSYTHIA		4.0	0.5	
18-24"	50	.40	.35	.30
HALESIA—Silverbell				
tetraptera—40' April				
Bell-shaped white flowers, winged fruit.				
3-4'	SE.	.55	.50	
4-5'		.33 .80	.50 .75	
5-6'		1.10	./3	
	. 1.20	1.10		

HAMAMELIS—Witch Hazel	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
virginiana—COMMON WITCH HAZEL 15' Yellow fringe-like flowers, appear after foliage has dropped. The dark brown seeds add to its attraction.		ober		
3-4'		.40 .60		
HIBISCUS				
syriacus 12' August-September Blooms when no other shrub is showing flower. Large shrub for specimen or group planting.				
Anemonaeflorus, double pink Ardens, double violet Boule de feu, double red				
Joan d'Arc, double white				
Shrubform	0.5	20	0.5	
2-3'		.28 .40	.25 .35	
Treeform 4-5'	75	.65	.60	
5-6'		.85	. 7 5	
HYDRANGEA				
arborescens grandiflora—SNOWHILL HYDI Large heads of white flowers.	RANG	EA 5' Ju	ine-July	
2-3'	.65	.55	.50	
paniculata grandiflora—PEEGEE HYDRANG Enormous trusses of white flowers chang- ing to pink and bronze in fall.	GEA	8' Augus	st-Septembe	er
18-24"		.35 .45	.30 .40	
KOLKWITZIA amabilis—BEAUTYBUSH 8' May Arching sprays of pink flowers.				
2-3'		.50 .60	.45 .55	
LIGUSTRUM—Privet				
amurense — AMUR PRIVET 18-24"		.12 .17	.11 .16	.10 .15
	.20	.17	.10	.10
ibolium—IBOLIUM PRIVET 8' Hardy privet with glossy leaves. 18-24"		.12 .17	.11 .16	.10 .15
ibota regelianum—REGEL PRIVET 8' A low spreading form which retains the				
berries all winter. 12-18"	.35	.20 .28 .40	.18 .25 .35	

				
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
LONICERA—Honeysuckle				
fragrantissima —WINTER HONEYSUCKLE	8'			
2-3'		.35	.30	1
			.50	
korolkovi—BLUELEAF HONEYSUCKLE 10'	April-	May		
Blue foliage, pink flowers, red and orange				
berries.				
2-3'	.50	.40		
tatarica alba—WHITE TATARIAN HONEYS	UCKLE	12' A ₁	oril-May	
Upright grower, creamy flowers, red berries.				
3-4'	.50	.45	.40	.35
zabeli—ZABEL HONEYSUCKLE 12' April-				
-	-Ivia À			
Deep red flowers, yellow stamens.	Γ0	4.5	40	0.5
3-4'		.45	.40	.35
4-5'	.65	.55	.50	
PHILADELPHUS—Mockorange				
corongrius—SWEET MOCKORANGE 10' N	Acre Iun	•		
Vigorous grower, very fragrant.	viciy-juli	θ ,		
3-4'	50	.45	.40	.35
		.45	.40	.33
lemoinei —LEMOINE MOCKORANGE 5'	May			
Semi-dwarf, dense racemes of small frag-				
rant white flowers.				
18-24"	.35	.28	.25	.20
2-3'	.40	.30	.28	
virginale—VIRGINAL MOCKORANGE 8'	May-Ju	ne		
Very large, semi-double fragrant white				
flowers.				
2-3'	50	.45		
	.00	.10		
PHOTINIA				
villosα 15'				
Red berries. October-November.				
2-3'	.35	.28	.25	•
3-4'		.40	.35	
PHYSOCARPUS—Ninebark				
opulifolius—COMMON NINEBARK 10' Mo	ay-June			
Thrives in partial shade, fast growing, at-				
tractive red seedpods.				
3-4'	.50	.40	.35	
4-5'	.60	.50	.45	
opulifolius aureus—GOLDEN NINEBARK 10)' Mas	r-Tuna		
A yellow leaved variety.		, and ,		
3-4'	50	.40	.35	
4-5'		.50	.45	
	.00	.50	.43	
PRUNUS—see also trees.				
americana—AMERICAN PLUM 20'				
Attractive large fruit, edible.				
3-4'	35	.28	.25	
4-5'		.40		
			.35	
		.50	.40	
6-8'		.65	.55	
8-10'	1.00	.90	.80	

	l to 9 Each	10 to 29 Each	30 to 249 Each	
PRUNUS	Eden	Eden	Eden	Each
glandulosa—PINK FLOWERING ALMOND Very double, rose-like flowers cover th branches before the leaves are out. Doubl pink.	е	ay		
18-24"	55	.35 .45		
Double White. 18-24"	55 1-May	.35 .45		
Covered in June with small cherries. 2-3'	55	.45 .55	.40 .50	
	ine or			
3-4'	70	.40 .55 .65	.35 .50 .60	
RHODOTYPOS kerrioides—JETBEAD 6' April-May Light green foliage, white flowers followe by black fruits. Good shrub for shady places.				
2-3'		.45 .60	.40 .55	
RHUS—Sumac canadensis—FRAGRANT SUMAC 6' A: Valued for its orange and red fall-color. Los spreading habit.	=			
18-24"		.25 .30	.22 .27	
alpinum—ALPINE CURRANT 4' Dwarf compact shrub with yellow flower		.25	.20	
12-15"		.35	.30	
Anthony Waterer Spirea 3' June-Septer Flat red flower heads.		.30	.28	
18-24" arguta—GARLAND SPIREA 6' April-M Garlands of white flowers.	50	.35	.35	
2-3' billardi—BILLIARD SPIREA 6' April-Mo	30	.28	.25	
Pink flowers. 2-3'	35	.30	.25	

STIKUDS		THE THE	1102 110	
	l to 9 Each	10 to 29 Each		250 & Up Each
SPIRAEA van houttei—VAN HOUTTE SPIREA 10' A beautiful sight when the arching branches are loaded with clusters of snow-white	April-M	f ay		
flowers. 18-24'' 2-3'		.22 .30	.20 .28	.18 .25
SYMPHORICARPOS—Snowberry chenaulti—IMPROVED CORALBERRY 5' Drooping branches, dainty small leaves, red	June-Ji	uly		
berries. Holds foliage very late. 18-24''		.20 .28	.18 .25	
racemosus—SNOWBERRY 6' June-July Large white berries which remain after the foliage has dropped.				
2-3'		.28 .40	.25 .35	
SYRINGA—Lilac vulgaris—CORALBERRY 5' June-July Small, coral berries close to the stems. 3-4'	50	.40	.35	.32
persica—PERSIAN LILAC 10' April-Me Small narrow leaves. Large clusters of lilac colored flowers. 2-3'	50	.40	.35	.32
villosa—LATE LILAC 8' June Delicate pink flowers, large leaves.		.50	.45	.40
2-3' 3-4' vulgaris—COMMON PURPLE LILAC 18'	.50	.35 .40	.30 .35	
Free bloomer, vigorous grower. 2-3'	•	.35	.30	
3-4'	.65	.45 .55	.40 .50	
vulgaris alba—COMMON WHITE LILAC 1 Single white flowers. 2-3'		oril-May .45	.40	
3-4'		.55	.50	
HYBRID LILACS				
Alphonse Lavalle—double, red. Charles Joly—double, dark red. Ludwig Spaceth, single, dark red.				
Ludwig Spaeth—single, dark red. Marie Legraye—single, white. Mishal Rushner, dauble, libra				
Michel Buchner—double, lilαc. 2-3'		.55 .85	.50 .75	

-	to 9	10 to 29	3 0 to 24 9	250 & Up
VIBURNUM	Each	Each	Each	Ecrch
americana—AMERICAN CRANBERRYBUSH	10'	8 11 N f		
Yellow berries which turn red; also valued	12'	April-May		
for the reddish fall color of the foliage.				
2-3'	.35	.31	.28	.25
3-4′	.60	.50	.40	.35
4-5'	.70	.55	.50	.45
cassinoidesWITHE ROD				
18-24"		.30	.25	
2-3'		.40	.35	
3-4'	.bU	.50	.40	
dentatum—ARROWWOOD 12' May				
Bright green foliage, black berries.	F.0	40	0.5	00
2-3'		.40	.35 .40	.30
3-4'		.45 .55	.40 .50	.35 .45
TO	.00	.55	.50	OF.
lantana—WAYFARING TREE 15' May				
Heavy, dark green leaves. The red berries turn black. Good for screens.				
2-3'	50	.40	.35	.30
3-4'		.45	.40	.35
4-5'	.65	.55	.50	.45
opulus—EUROPEAN CRANBERRYBUSH 1	2' Δ	pril-May		
Large bunches of single berries. The flowers	2 1	ipin way		
are white.				
2-3'		.31	.28	.25
3-4'		.40	.35	.30
4-5'	.70	.55	.50	.40
opulus sterile—COMMON SNOWBALL 12'	Ap	oril-May		
Large snowball-like flowers.				
3-4'		.40	.35	
4-5'		.55	.50	.40
5-6'	.80	.65		
tomentosum—DOUBLEFILE VIBURNUM 8'	May	y-June		
Large white flowers followed by red berries.				
2-3'		.40	.35	
3-4'	.70	.55	.50	
WEIGHT T				
WEIGELA				
rosea—PINK WEIGELA 8' May-June				
Pink flowers, erect grower. 2-3'	35	.28	.25	
3-4'		.40	.35	
O-z		. 20	.50	

SHADE TREES

All trees are priced bare root unless marked B&B.

All frees are priced bare root				050 6 11.
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ACER—Maple				
dasycarpum—SILVER MAPLE 80'				
Fast growing tree, leaves silvery unde 6-8' 8-10' 2-2½'' 2½-3'' 3-3½'	.1.00 .1.50 .3.25 .4.50	.90	.80	.75
ginnala—AMUR MAPLE 25'				
Brightly colored leaves in fall. 3-4' 4-5' 5-6' 6-8'	.1.00 .1.35	.55 .85 1.10 1.75	.50 .75 1.00 1.50	.45 .70
palmatum atropurpureum—JAPANESE BLO	ODLEAF	MAPLE	15'	
Grafted Small, graceful specimen tree for color contrast. Very popular. 5" pots 12-18"				
Broad, round top. Fine for street planting.				
$1\frac{1}{4} - 1\frac{1}{2}$ " $1\frac{1}{2} - 1\frac{3}{4}$ " $1\frac{3}{4} - 2$ " $2 - 2\frac{1}{2}$ " $2\frac{1}{2} - 3$ " $3 - 3\frac{1}{2}$ '	.3.50 .4.00 .4.75 .6.00	2.50 2.80 3.30 4.00 5.00	2.25 2.50 3.00	
rubrum—RED MAPLE 75'				
Scarlet fall foliage, light bark. 1 1/4-1 1/2'' 1 1/2-1 3/4'' 1 3/4-2'' 2-2 1/2'' 2 1/2-3''	. 3.25 . 4.50 . 6.00	2.25 3.00 4.00	2.00 2.75 3.75	
saccharum —SUGAR MAPLE 120'				
6-8' 8-10' 1 ¹ / ₄ -1 ¹ / ₂ '' 2 ¹ / ₂ -3'' 3-3 ¹ / ₂ ''	.2.00 .2.50 .7.00	1.50 1.75 2.25 6.50	1.25 1.50 2.00 6.00	
AESCULUS				
hippocastanum—HORSECHESTNUT 70' I White flowers, tinged red.	Мау			
$1\frac{1}{4} - 1\frac{1}{2}$ " $1\frac{1}{2} - 2$ " $2 - 2\frac{1}{2}$ "	.4.50	3.00 3.50 4.00	2.75 3.25	2.50 3.00

1 to 9	10 to 29	30 to 249	250 & Up
ALNUS—Alder	Each	Each	Each
glutinosa—BLACK ALDER 60'			
Slender tree with rich green foliage. 6-8'	1.00		
8-10'	1.40 2.00 2.50		
ARALIA			
spinosa—DEVILS WALKINGSTICK 25' Tropical appearance. Large clusters of greenish white flowers in July. 3-4' .40 4-5' .50 5-6' .60			
ASH see Fraxinus			
BETULA—Birch alba—EUROPEAN WHITE BIRCH 40' Attractive white bark. $1 \frac{1}{4} \cdot 1 \frac{1}{2} \frac{1}{4} \cdot \frac{1}{4$	1.20 1.60		
clumps			
8-10' BB 2 stems 8.50 10-12' BB 2 stems 13.00 12-14' BB 2 stems 20.00 8-10' BB 3 stems 13.00 10-12' BB 3 stems 20.00 alba laciniata—CUTLEAF WEEPING BIRCH 40' Drooping branches, deeply cut leaves. 6-8' 1.75 8-10' 2.50			
CATALPA			
speciosa—WESTERN CATALPA 35'			
Fragrant white and yellow flowers. 8-10'	.90	.75	
CELTIS			
occidentalis —HACKBERRY 50'			
A hardy shadetree with broad top. 1 \(\frac{1}{4} \cdot 1 \frac{1}{2} \cdot' \)	1.75 2.00 3.00	1.60 1.85 2.75	
CERCIS—Redbud			
canadensis—AMERICAN REDBUD 30' April Clusters of red flowers before the leaves			
3-4' .75 4-5' 1.25 5-6' 1.75	.60 1.00 1.50	.55 .90 1.35	

I to 9 Each		30 to 249 Each	250 & Up Each
CORNUS florida—WHITE FLOWERING DOGWOOD 30' Large white flowers.	Мау		
3-4' BB	2.75	1.75 2.50 3.25	
florida rubra—RED FLOWERING DOGWOOD 3-4' B&B	-		
CRATAEGUS—Hawthorn			
Crataegus requires proportionately larger balls 3-4 ft., 15 inch dia. 5-6 ft., 21 inch dia. 8-10 ft 4-5 ft., 18 inch dia. 6-8 ft., 24 inch dia.			
coccinea—SCARLET FRUITED HAWTHORN			
3-4' 1.50 4-5' 1.75 5-6' 2.00	1.50	1.10 1.35 1.50	
cordata—WASHINGTON THORN 30' May-Jur Beautiful fall coloring. Clusters of small, bright red berries. Upright habit of growth, fine for hedging.	ne		
4-5' 1.75 5-6' 2.00 6-8' 2.50 8-10' 3.00	1.50 1.75 2.00 2.50	1.35 1.50 1.75	
crusgalli—COCKSPUR THORN 40' May-June Branches wide spreading. The red fruit often remains on the branches till spring. Glossy leaves, assuming orange and scarlet colors in fall.			
4-5'		1.35 1.50	1.25 1.40
mollis—DOWNY HAWTHORN 30' April-May One of the most decorative Hawthorns with large leaves. The showy fruits drop after ripening.			
5-6'	2.00	1.50 1.75	1.40 1.65
punctata —DOTTED HAWTHORN 30' May Broad-headed tree, white flowers, red fruit. 4-5'	1.50		
5-6'	-,		
tomentosa 20' May Spreading small tree, gray bark, elongated red fruit	,		
4-5'	1.50	1.35	

	to 9	10 to 29	30 to 249	
FAGUS—Beech	Each	Each	Each	Each
sylvatica—EUROPEAN BEECH 80'				
Light gray bark. The leaves turn yellow in				
fall and remain on the tree nearly all winter.				
5-6' BB	4.50			
6-8' BB6	6.50			
8-10' BB	9.00			
FRAXINUS—Ash				
americana—AMERICAN ASH 75'				
Also called White Ash. A good tree for				
street planting.				
$1\frac{1}{4}$ - $1\frac{1}{2}$ "		1.75	1.50	
$1\frac{1}{2} \cdot 1\frac{3}{4}$		2.00	1.75	
13/4-2"	3.00	2.50	2.25	
GLEDITSIA				
triacanthos—HONEYLOCUST 90'				
Long lived, hardy tree, thorny. Large pods				
of seeds.	1.50	1.05	1.10	
6-8'		1.25 2.00	1.10 1.80	
$1\frac{1}{2}$ -2"		2.75	2.50	
2-2 ½''		3.25	3.00	
2½-3"		4.00	4.00	
inermis — THORNLESS HONEYLOCUST				
6-8'	1.75	1.50	1.35	
8-10'	2.75	2.25	2.00	
1 ½-1 ¾''	3.25	2.75	2.50	
MAGNOLIA				
soulangeana—SAUCER MAGNOLIA 20'				
Flower petals creamy white inside, rosy				
pink outside. Blooms in March.				
3-4' BB Heavy Specimens5	5.00			
4-5' BB Heavy Specimens	7.50			
glauca—SWEET BAY				
Fragrant creamy-white flowers.		0.50		
3-4′ B&B	3.00	2.50		
MALUS—Flowering Crab				
arnoldiana—ARNOLD CRAB 12'				
Single pink flowers, yellow fruit.				
3-4'		.50	.40	
4-5'	.80	.65	.60	
baccata—SIBERIAN CRAB 30'				
Single white flowers, red or yellow fruit.	0.0	C.F.		
4-5'		.65 .80	.70	
6-8'		1.25	1.00	
coronaria—WILD SWEET CRAB 30'		1.20	2.00	
Delicate pink, single, fragrant.				
4-5'	.80	.65	.60	
5-6'		.80	.70	
6-7'		1.25	1.10	

l to 9	10 to 29	30 to 249	250 & Up
MALUS—Flowering Crab	Each	Each	Each
DOLGA 20'			
Pink bud, opens white, large red fruit. 4-5'	.65		
4-5'	.80		
6-8'	1.25	1.10	
DR. VAN FLEET			
Pink flowers, fast grower. 5-6'			
6-7'			
eleyi—ELEY CRAB 20'			
Single light red flowers, purple foliage.	50	40	
3-4'	.50 .65	.40 .60	
floribunda—JAPANESE FLOWERING CRAB 20'			
Crimson flowers.			
3-4'	.65	.60	
4-5'	.80 1.25	.70 1.10	
halliana parkmani			
3-4'	.65		
6-8'1.50	1.25		
toensis plena—BECHTEL CRAB 15'			
Double pink flowers. 2-3'	.45	.40	
3-4'	.65	.60	
4-5'	.80 1.10	.75 1.00	
	1.10	1.00	
pumila niedzwetzkyana—REDVEIN CRAB 20'Single red flowers, red fruit.			
3-4'	.65	.60	1
4-5'	.80	.70	,
sargenti—SARGENT CRAB 6' Single white flowers, dark red fruit.			
2-3'	.50	.45	
3-4'	.65 1. 00	.60 .85	
scheideckeri—SCHEIDECKER CRAB 20'	1.00	.03	
Semi-double pink flowers, yellow fruit.			
3-4'	.50	.45	
4-5'	.65	.60	
spectabilis—CHINESE FLOWERING CRAB 15'			
Semi-double pink flowers, yellow fruit.	.50	.45	
4-5'	.65	.60	
zumi calocarpa 15'			
Cerise buds opening pink, small red fruit.	65	00	
3-4'	.65 .8U	.60	

			11(22)
I to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
PHELODENDRON amurense—Corktree			
$1\frac{1}{2}$ - $1\frac{3}{4}$ "	1.80	1.60	
$1^{3}/4 - 2^{\prime\prime}$	2.25	2.50	
PLATANUS—Plane tree			
occidentalis—AMERICAN PLANE TREE 130'			
The green and creamy white bark gives a			
striking appearance.			
6-8'	1.00	.90	.80
8-10'	1.65 2.25	1.50 2.00	1.40 1.90
$1\frac{74-1}{2}$	2.25	2.50	2.25
13/4-2"	3.50	3.25	3.00
2-2½"	4.00	3.50	3.25
POPULUS—Poplar			
bolleana—BOLLEANA POPLAR 60'			
Green bark, silvery foliage.			
6-8'	.65	.60	
8-10'1.00	.85	.80	
$1\frac{1}{4}$ - $1\frac{1}{2}$ "	1.00	.90	
eugenei—CAROLINA POPLAR 100'			
A large spreading tree; fast grower.			
8-10'	.55	.50	
$1\frac{1}{4}-1\frac{1}{2}$ "	.70	.65	
nigra italica—LOMBARDY POPLAR 80'			
Pyramidal habit, often used for screens.	.30	.28	.25
6-8'	.40	.35	.30
8-10'	.60	.55	.50
simoni—SIMON POPLAR 25'			
Outline similar to Lombardy Poplar but			
broader. Much smaller and with shiny			
leaves.			
6-8'	.50	.40	
	.65	.55	
PRUNUS			
americana—AMERICAN PLUM 20'			
Attractive large fruit, edible.	00	0.5	
3-4'	.28	.25	
4-5 '	.40 .50	.35 .40	
6-8'	.65	.55	
8-10'	.80	.70	
americana—newport—PURPLE-LEAVED AMERICA	N PLUM	20'	
3-4'	.60	20	
4-5'	.75		
5-6'	1.00		
commutata —MAYDAY TREE 20' May			
Covered with long clusters of white flowers.			
4-5'	.55	.50	
5-6'	.65	.60	
6-8'	.70	.65	

TREES			ROE NU	
	o 9 ich	10 to 29 Each	30 to 249 Each	250 & Up Each
PRUNUS	4013	Lucii	20011	
serotinα—WILD BLACK CHERRY 60'				
White flowers in long racemes, small black fruit.				
5-6'	50	.40		
6-8'	80	.65		
8-10'1.		.80		
subhirtella pendula—ROSEBUD WEEPING CH Drooping branches covered with rose flow- ers	ERRY			
5-6' 4 yr. heads2.	50			
trilobaFLOWERING PLUM 10'				
Rosettes of double pink flowers.				
3-4'		.60		
4-5'1.	00	.80		
JAPANESE FLOWERING CHERRIES				
Bushform				
Kofugen, double, deep pink. Shirofugen, semi-double, pale pink.				
6-8'	.50			
PTELEA				
trifoliata—HOPTREE				
6-8'	90	.70	.65	
8-10'1.		.90	.85	
QUERCUS				
coccinea —SCARLET OAK 80'				
6-8'1.	50	1.25		
$1\frac{1}{2}$ - $1\frac{3}{4}$ "				
alba—WHITE OAK 80'				
6-8'		1.25	1.00	
$1\frac{1}{4}$ - $1\frac{1}{2}$ "	50			
palustris—PIN OAK 60'				
$1\frac{1}{4} \cdot 1\frac{1}{2}$ "		2.25		
1½-1¾"	UU	2.75		
rubrα—RED OAK 80'	F.O.	1.05	1.00	
6-8'		1.25 2.25	1.00	
	30	۵.40		
ROBINIA				
pseudoacacia—BLACK LOCUST 80				
Fast growing, fragrant white flowers in				
hanging racemes.	F.O.		•	
$2-2\frac{1}{2}$				
	00			
SALIX—Willow	Ω,			
blanda—WISCONSIN WEEPING WLLOW 50 Long narrow shiny leaves.	J			
6-8'	00	.85	-	
Niobe—GOLDEN WEEPING WILLOW	-	.00		
Very hardy, yellow bark.				
6-8'	00	.85		
	- -	,00		

TILL HOUSEN				
	. to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
SALIX—Willow				
pentandra—LAURELLEAF WILLOW 30'				
Glossy foliage, round head.				
8-10'	1.50	1.20		
SORBUS-Mountain Ash				
americana—AMERICAN MOUNTAIN ASH				
Small tree with bright red fruit.				
6-8'		.75		
11/4-11/2"		1.00		
11/2-2"	1.50	1.25		
aucuparia—EUROPEAN MOUNTAIN ASH	40'			
Scarlet berries in August and September.				
6-8'		.75	.70	
8-10'		1.25 1.50	1.00	
1½-1½ 1½-2′′		2.50		
2-21/2"		2.00		
22/2				
THE TAXABLE				
TILIA—Linden				
americana—AMERICAN LINDEN 75'				
Fast growing tree with large leaves. Yellow flowers in June.				
6-8'	1.00	.80		
$1^{1/4}$ - $1^{1/2}$ "		1.50		
1 1/2 - 2"		2.00		
2-21/2"	3.50	3.00		
cordata —SMALL-LEAVED LINDEN 100'				
Narrow, pyramidal tree with dark green				
foliage.				
1½-1¾"	3.00	2.75		
13/4-2"	3.50	3.25		
2-21/2''	5.00	4.50		
ULMUS—Elm				
americana—AMERICAN ELM 100'				
Best known American tree.				
8-10'		1.25	1.10	
1 1/4 - 1 1/2"		1.65		
1½-1¾"		2.00		
13/4-2"		2.25 · 3.25		
2-2½"		3.43	3.00	
4/2 ⁻ 0	_,			
MOLINE ELM 80'				
Smooth bark, large foliage.		0.00		
1½-1¾"		2.00	1.75	
$1\frac{3}{4}$ -2"		2.25 3.25	2.00 3.00	
$2^{1/2}$ $2^{1/2}$		J,4J	3.00	
472°3	5.00			

ULMUS—Elm	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
campestris —ENGLISH ELM				
1 1/4-1 1/2 "	.3.00	2.50	2.25	
$1\frac{1}{2} - 1\frac{3}{4}$ "		3.00	2.75	
13/4-2"		3.75	3.50	
2-2½"		4.50	4.00	
2½-3"		5.50	4.75	
3-3½'		6.50	20	
pumilα—CHINESE ELM 50'				
Fast growing tree, compact habit of growth				
11/4-11/2"		1.50	1.25	
11/2-13/4"	. 2.25	2.00	1.75	
13/4-2''		2.25	2.00	
2-21/2"		3.25	3.00	
2½-3"		4.25	4.00	
3-31/2"		6.00		
31/2-4"				

EVERGREEN	IS		
1 to 4 Each	5 to 9 Each	10 to 29 Each	30 & Up Each
ABIES—Fir	Lacii	Lucii	Lucii
concolor — CONCOLOR FIR			
$2-2\frac{1}{2}$ '	3.00 3.50	2.75	2.50
	0.00		
JUNIPERUS—Juniper chinensis columnaris—CHINESE COLUMN JUNI	חבם		
$2^{1/2} \cdot 3' \dots \qquad 3.50$	3.00	2.75	
chinensis columnaris viridis—GREEN CHINESE		JUNIPER	
2½-3′	3.00	2.75	
3-4'	4.00 5.00	3.75	
chinensis keteleeri — KETELEER JUNIPER 20'	0.00		
Gray-green foliage, large berries.			
$2\frac{1}{2}-3$ '	3.00 4.00	2.75 3.75	
4-5'	5.00	0.70	
chinensis pfitzeriαnα—PFITZER JUNIPER 6'			
Spreading type with blue-green foliage. 15-18"	1.85	1.65	1.50
18-24''	2.30	2.15	2.00
2-21/2'	2.90	2.70	2.50
2½-3'	3.50 4.50	3.25	
chinensis sargenti—SARGENT JUNIPER 1'	1.00		
A green, spreading Juniper used as ground cover.			
15-18"	2.00	1.75	
18-24"	2.25		
communis depressa — SPREADING COMMON JU Spreading, gray-green foliage.	JNIPER		
2-3'	2.50	2.25	2.00
3-4'3.00	2.75	2.50	
communis hibernica—IRISH JUNIPER 10'			
Form a narrow column. 2-2½'	1.25	1.10	1.00
21/2-3'2.00	1.75	1.40	1.25
3-4'	2.25 3.00	2.00 2.75	1.75 2.50
4-5'	3.00	4,73	2.30
communis suecicα—SWEDISH JUNIPER 2-2½'	1.25	1.10	1.00
2½-3′	1.75	1.40	1.25
3-4'	2.25	2.00	1.75 2.50
4-5'	3.00	2.75	2.50
excelsa stricta—SPINY GREEK JUNIPER 5' Cone shaped evergreen wih broad base.			
15-18"1.75	1.50	1.35	1.25
18-24"	2.00	1.85	1.75
2-2½'3.00 2½-3'3.75	2.65 3.25	2.40 3.00	2.25 2.75
2/2 3 1,1111111111111111111111111111111111			

EVERGREENS	Inc	MON	OL NO	KSEKI
l to Eac	_	5 to 9 Each	10 to 29 Each	30 & Up Each
JUNIPERUS—Juniper				
sabina—SAVIN JUNIPER 4				
Spreading plant, dark green.				
15-18"	35	1.50	1.35	1.25
18-24"		1.75	1.60	1.50
2-2½'		2.75	2.50	2.25
3-4'4.0		3.50	3.25	
sabina tamariscifolia 2'				
A low compact Juniper with fine needles.				
15-18"	00	1.75	1.50	
18-24"		2.25	2.00	1.75
scopulorum—CHANDLER SILVER	-			
Improved variety, Silvery blue color.				
2-3'	75	2.50	2.35	2.25
3-4'		3.50	3.25	3.00
		0.00	0.20	
sphaerica —FORTUNE JUNIPER 3-4'	75	3.50	3.25	3.00
4-5'		4.50	4.25	4.00
5-6'		6.00	5.50	5.00
6-8'9.0		8.50	3.30	3.00
	00	0.50		
squamata meyeri—MEYER JUNIPER 5'				
Bluish color, spreading.) F	1.00	1.05	1.50
15-18"2.2		1.90 2.25	1.65 2.00	1.50
18-24"	00	4.45	2.00	
virginiana—REDCEDAR 60'				
2½-3′		2.00	1.85	1.75
3-4'		3.00	2.75	2.50
4-5'		4.25	3.85	3.50
5-6'6.0	טט	5.50	5.00	
virginiana burki—BURK JUNIPER				
3-4'4.5	50	4.00	3.75	
virginiana schotti—SCHOTT REDCEDAR 12'				
Foliage bright green to yellow.				
$2^{1/2}-3'$		3.00	2.75	
3-4'		4.00	3.75	
4-5'		5.00		
5-6'8.0	30	7.00		
von ehron—VON EHRON JUNIPER				
Spreading Juniper resembling Pfitzer but				
finer texture and more upright.				
2-3'		3.00	2.75	2.50
3-4'	50	4.00	3.75	3.50
PICEA—Spruce				
canadensis —WHITE SPRUCE				
Very compact tree with short needles.				
18-24"	15	1.85	1.65	1.50
2½-3′		2.40	2.20	2.00
canadensis albertiana—BLACK HILL SPRUCE	· -			
Dense growing, bluish tint.				
18-24"	15	1.85	1.65	1.50
$2-2\frac{1}{2}$ '		2.25	2.00	. = -
$2\frac{1}{2} \cdot 3' \dots 3.0$	00	2.75	2.50	
			•	

THE MONROE NURSERY		EVER	GREENS
l to 4 Each	5 to 9 Each	10 to 29 Each	30 & Up Each
PICEA—Spruce			
excelsa—NORWAY SPRUCE 80'			
Sharp, pointed green needles.	0.00	1.75	1.50
$2\frac{1}{2}-3$ '	2.00 3.00	1.75 2.75	1.50 2.50
4-5'	4.50	4.25	4.00
pungens—COLORADO SPRUCE	4.00	1.20	1.00
18-24"	1.50	1.35	1.25
2-3'	2.40	2.20	2.00
pungens morheimi—MORHEIM SPRUCE			
10-12'			
12-14'80.00			
14-16'100.00			
PINUS—Pine			
strobus—WHITE PINE 100'			
Long blue green needles, smooth bark.			
3-4'4.50	4.00	3.75	3.50
4-5'6.00	5.50	5.25	5.00
sylvestris—SCOTCH PINE 70'			
Light green needles, reddish bark. Unsym-			
metrical rugged appearance. 3-4'	4.00	3.75	
4-5'	5.50	5.25	5.00
PSEUDOTSUGA	0.00	0.20	0.00
douglasi—DOUGLAS FIR			
$2\frac{1}{2} - 3' \qquad $	2.50	2.25	
3-4'		2.20	
RETINOSPORA—Chamaecyparis			
pisifera—SAWARA CYPRESS			
2-3'2.25	2.00	1.75	1.50
3-4'3.25	2.75	2.50	2.25
plumosα —PLUME CYPRESS			
18-24"	1.50	1.35	1.25
$2\frac{1}{2}$ -3'	2.40 3.25	2.20 3.00	2.00
3-4'	3.43	3.00	
18-24"	1.50	1.35	1.25
2-3'	2.40	2.20	2.00
TAXUS—Yew			
cuspidata—SPREADING JAPANESE YEW 6'			
Dark green needles.			
15-18''3.25	2.90	2.70	2.50
18-24''	4.25	4.00	3.50
2-2½'5.25	5.00	4.75	4.50
cuspidata browni—BROWN'S YEW	0.00	0.70	0.50
15-18''3.25 hatfieldi —HATFIELD YEW	2.90	2.70	2.50
15-18"	2.40	2.20	2.00
hicksi—HICKS YEW	2.40	2.20	4.00
15-18"	2.40	2.20	2.00
18-24"3.75	3.25	3.00	2.75
2-3'	4.25	4.00	3.75

EVERGREENS	TIE MOI	THOE IT	JIGUR I
1 to 4 Each	5 to 9 Each	10 to 29 Each	30 & Up Each
THUJA—Arborvitae			
occidentalis—AMERICAN ARBORVITAE 40'			
Fine for formal hedges. Also used for screen	ns.		
2½-3′	2.00	1.85	1.75
3-4'	2.90	2.70	2.50
4-5'4.50	4.00 5.00	3.75 4.50	3.50
5-6'	6.75	4.50 6.50	
8-10'	11.00	10.00	
occidentalis douglasi—DOUGLAS ARBORVITAE Handsome curly foliage, light and dark	25′	20.00	
green contrasts. Pyramidal shape.			
2-3'	1.75	1.60	1.50
occidentalis elegantissima—GOLDTIP ARBORVI	TAE 15'		
Branches have yellow tips, most noticeable	1112		
in Spring. Pyramidal form.			
2-3'	2.25	2.00	1.75
occidentalis pyramidalis—PYRAMIDAL ARBORV	ITAE 25'		
$2-2\frac{1}{2}$	1.75	1.60	1.50
21/2-3'	2.40	2.20	2.00
3-4'3.25	2.90	2.70	2.50
4.5'	4.00	3.75	3.50
5-6'	5.00		
occidentalis woodwardi—WOODWARD ARBORV	ITAE 6'		
Perfectly round, no trimming required. 15-18"	1.35	1.20	1.10
18-24"	1.35	1.60	1.50
$2-2\frac{1}{2}$	2.00	1.85	1.75
orientalis—CHINESE ARBORVITAE 25'	2.00	1.00	1.70
2-3'	2.00	1.85	1.75
3-4'	2.90	2.70	2.50
orientalis aurea nana—BERKMAN ARBORVITAI	₹.		
Dwarf, light yellow, compact.			
12-15"	1.25	1.10	1.00
15-18''	1.75	1.60	1.50
18-24''	2.00	1.85	1.75
orientalis bakeri—BAKER ARBORVITAE 7'			
Pyramidal form, dark green color.			
2½-3′	2.00	1.85	1.75
3-4'	3.25	3.00	2.75
orientalis elegantisima	0.00		
$2-2\frac{1}{2}$ '	2.00	1.85	0.40
3-4'	2.75 3.50	2.50 3.25	2.40
plicata—GIANT ARBORVITAE	3.30	3.23	
2-3'	0.00	1.05	
3-4'	2.00 2.90	1.85 2.70	
TSUGA—Hemlock	2.50	2.70	
canadensis—CANADIAN HEMLOCK 75'	-		
2½-3′3.50	3.25	3.00	
3-4'4.75	4.25	4.00	
4-5'6.00		-	

BROAD LEAVED EVERGREENS

BUXUS—Boxwood	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
sempervirens—COMMON BOXWOOD				
9-12" 12-15" 3-3½' Heavy Plants	.1.25 .4.50 .5.50	.85 1.15	.75 1.00	
2-2½'	.4.00			
EUONYMUS				
radicans vegetus—BIG LEAF WINTERCREE Large glossy green foliage, scarlet berries. Evergreen.		20'		
12-15"				
MAHONIA				
αquifolium—OREGON GRAPE 15-18" B&B		1.50 2.00	1.25 1.75	
PYRACANTHA coccineα—FIRETHORN Orange and red berries in winter.				
2-3' BB		2.25 3.50		
VINES	3			
AMPELOPSIS	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
tricuspidata (veitchi)—BOSTON IVY 50'				
Clings to brick or stone walls. In wide use 2 Year No. 1 tricuspidata lowi—GERANIUM CREEPER	40	.35		
Small leaves, turning bright red in fall. Slow				
growing. Climbs on brick. 21/4" Pots		.22	.20	
CELASTRUS orbiculatus—ORIENTAL BITTERSWEET 40 The orange and scarlet fruits cling close to				
the stem. 3 Year No. 1	35	.30	.25	
scandens—AMERICAN BITTERSWEET 25' The red berries retain their color and are popular for cutting.	•			
3 Year No. 1	35	.30	.25	

VIIIES			
1 to 9 Each	10 to 29 Each		250 & Up Each
CLEMATIS—Large flowering varieties			
2 Year No. 1	.50	.45	
Jackmani, purple Mme. Edouard Andre, red			
Ramona, blue			
paniculata—SWEET AUTUMN CLEMATIS 30'			
White fragrant flowers. 2 Year No. 1	.35	.30	
HEDERA			
helix—ENGLISH IVY 2½" Pots	.22	.20	
helix baltica—HARDY ENGLISH IVY			
Small leaved variety. Will climb on brick. $2\frac{1}{2}$ " Pots	.22	.20	
LONICERA—Honeysuckle japonica halliana—HALL JAPAN HONEYSUCKLE Creamy white fragrant flowers. Excellent ground cover or for screening on fence wires.	25′		
2 Year No. 1	.25	.18	
POLYGONUM auberti—SILVERLACE VINE 30' Large sprigs of white flowers, fast growing.			
1 Year No. 1	.40	.35	
WISTERIA			
sinensis—CHINESE PURPLE WISTERIA 40'			
Long clusters of flowers in May.	00	F.O.	
2 Year No. 1	.60	.50	
sinensis alba—CHINESE WHITE WISTERIA 40' A white flowering variety.			
2 Year No. 1	.60	.50	

A list of available fruit trees and roses will appear in the Spring Issue.

B&B Price Schedule

For deciduous stock not marked B&B in this price list.

For trees no	t lietad i	n thic	nrice	liet	~44	CCC	cost	_of	irong	+0	RÆR	achodulo
* O1 11000 110	i maicu i	11 11112	Price	TIDL	uuu	us	COST	OΙ	11662	LO	DOL	buildane.

All sizes up to 31/2"-4"	1.00 per in.
All sizes from 4" -6"	1.50 per in.
All sizes above 6"	2.00 per in.

Shrubs and small trees

Approxim Weights	ate Diam. of Ball	Plant Size	l each	2 each	5 each	25 each		
25	10 in.	18-24 in.	.60	.55	.50	.45		
45	12 in.	2-3 ft.	.85	.75	.65	.60		
55	13 in.	3-4 ft.	1.00	.90	.85	.80		
85	15 in.	4-5 ft.	1.45	1.30	1.20	1.15		
100	16 in.	5-6 ft.	1.75	1.60	1.50	1.40		
145	18 in.	6-7 ft.	2.50	2.25	2.10	2.00		
200	20 in.	7-8 ft.	3.50	3.15	3.00	2.80		
265	22 in.	8-9 ft.	4.70	4.20	4.00	3.75		
345	24 in.	9-10 ft.	6.10	5.50	5.20	4.90		
Standard shade trees								
145	18 in.	1½-1½ in.	2.50	2.25	2.10	2.00		
170	19 in.	1½-1¾ in.	3.10	2.70	2.55	2.40		
230	21 in.	$1\frac{3}{4}$ -2 in.	4.10	3.70	3.50	3.30		
345	24 in.	2 $-2\frac{1}{2}$ in.	6.10	5.50	5.30	4.90		
500	27 in.	$2\frac{1}{2}$ -3 in.	8.20	7.40	7.00	6.60		
675	30 in.	$3 -3\frac{1}{2}$ in.	11.00	9.90	9.35	8.80		
1070	35 in.	$3\frac{1}{2}-4$ in.	17.00	15.30	14.50	13.60		
1600	40 in.	4 $-4\frac{1}{2}$ in.	25.50	23.40	20.80	18.20		
2100	44 in.	$4\frac{1}{2}-5$ in.	34.00	30.60	28.90	27.20		
2750	48 in.	5 $-5\frac{1}{2}$ in.	44.00	39.60	37.40	35.20		
3500	52 in.	$5\frac{1}{2}$ -6 in.	56.00	50.40	47.60	44.80		
4400	56 in.	6 -6½ in.	71.00	63.90	60.30	56.80		
5400	60 in.	$6\frac{1}{2}$ -7 in.	90.00	81.00	76.50	72.00		
6550	64 in.	7 $-7\frac{1}{2}$ in.	114.00	102.00	96.90	91.20		
7 900	68 in.	$7\frac{1}{2}-8$ in.	144.00	129.60	122.40	115.20		

CONDITIONS OF SALE

- PRICES in this list cancel those in all previous price lists and are subject to change without notice. All sales and contracts are made subject to crop loss or loss through other causes over which we have no control.
- TERMS: Cash, unless credit has been established, when accounts are due thirty days from invoice date.

 Past due accounts bear 6 per cent interest from maturity.
- CLAIMS will be entertained only when made in writing within ten days after arrival of goods.
- GUARANTEE: If any nursery stock proves untrue to name, we will replace it or refund the money but in no case are we responsible for more than the amount originally paid.

SHIPPING INFORMATION

SHIPPING FACILITIES—Railroads—Michigan Central, N. Y. C., Pere Marquette, Grand Trunk.

PACKING will be added to the listed prices at cost.

BOXING CHARGES will be added as follows:

	6'	8′	10'	12'
30 x 30 inches	4.50	5.50	6.50	7.50
28 x 28 inches	4.00	5.00	6.00	7.00
24 x 30 inches	3.75	4.75	5.75	6.75
24 x 24 inches	3.25	4.25	5.25	6.25
20 x 20 inches	2.75	3.75	4.75	5.75

Paper lining extra at cost.
Bales 35c to \$4.00 according to size.

SHIPMENT—Our responsibility for delivery of stock ends when shipment has been delivered in good condition to the transportation company. If stock is not received in good condition, any claim for adjustment of loss or damage is a matter between the consignee and carrier.

NURSERY LOCATION—On U. S. 24 Monroe, Michigan. 40 miles south of Detroit—20 miles north of Toledo. Office — 708 E. Front St.

INDEX

	Page
B & B Schedule	25
Broadleaved Evergreens	23
Evergreens	19-22
Shade Trees	10-18
Shrubs	1-9
Vines	23-24





